



# GEMS

Eternal Elegance - Tiles That Transcend Trends With Timeless Marble Allure.



#### INTRODUCTION



#### **Studio Gems**

The allure of marble never fails to captivate, and the Studio Gem series takes this enchantment to new heights by meticulously crafting a diverse range of versatile marble designs for embellishing exquisite homes.

Within this series, 6 distinct and captivating marble designs and shades grace the collection — Borghini, Calacatta Oro, Calacatta Gold, Paloma, Silvermink, and Grigio Imperial. Each possesses the power to evoke a unique ambiance, ensuring a tailored aesthetic for every space.

Moreover, these designs are available in a variety of finishes providing unparalleled flexibility to bring your design visions to life. The Studio Gem series unveils a mesmerizing array of 8 and 9 faces, each displaying its distinctive and beautiful marble veining patterns that infuse your living spaces with a sublime touch of luxury.

Available in 4 formats — 60x120cm, 60x60cm, 30x60cm, and 30x30cm, Studio Gem enables you to recreate diverse forms of sophistication, ensuring a seamless integration into your unique design aspirations.

Elevate your surroundings with the timeless beauty and versatility of the Studio Gem series, where every tile tells a story of refined aesthetics and enduring sophistication.














# gems borghini

Immerse your space in timeless sophistication with Gems Borghini, a white marble masterpiece adorned with graceful grey veining.



gems borghini 9 faces





#### gems calacatta oro

Gems Calacatta Oro boasts a radiant white canvas illuminated by the bold and captivating presence of gold veins, infusing spaces with an unparalleled sense of opulence and sophistication.






### gems calacatta gold

Unleash a majestic aura in your space with Gems Calacatta Gold, where the detailed gold and white veining intricately weave a story of luxury and grandeur.







### gems paloma

Gems Paloma showcases meticulous veining with fine detailing, introducing depth and texture that collectively craft an ambiance of refined elegance and visual captivation.







## gems silvermink

Experience whispering elegance with Gems Silvermink—a nuanced soft grey adorned with detailed veining.








## gems grigio imperial

Transform your living environment with the regal elegance of Gems Grigio Imperial, where every tile becomes a brushstroke of sophistication.







#### technical characteristics

|   | TECHNICAL FEATURES                      | SPECIFICATION          | VALUE REQUIRED                             | *OUR VALUES (SETSCO)   |
|---|---|------------------------|--|------------------------|
| <b></b>   | LENGTH AND WIDTH                        | ISO 10545-2            | ±0.6%                                      | 0.07%                  |
|   | THICKNESS                               | ISO 10545-2            | ±5.0%                                      | - 0.16%                |
| 6   | SQUARENESS                              | ISO 10545-2            | ±0.5%                                      | 0.04%                  |
|   | STRAIGHTNESS<br>OF THE EDGES            | ISO 10545-2            | ±0.5%                                      | 0.01%                  |
| $\nabla$ $\nabla$ $\nabla$ $\Delta$ $\Delta$ $\Delta$ | FLATNESS                                | ISO 10545-2            | ±0.5%                                      | 0.13%                  |
| <b>T</b>  | WATER ABSORPTION                        | ISO 10545-3            | ≤0.5%                                      | 0.32%                  |
| <del> </del>  | BREAKING STRENGTH<br>MODULUS OF RUPTURE | ISO 10545-4            | ≥1300 N<br>≥35 N/mm²                       | 1620.1 N<br>38.6 N/mm² |
|   | CHEMICAL RESISTANCE                     | ISO 10545-13           | TEST METHOD<br>AVAILABLE<br>DECLARED VALUE | GA/GLA                 |
| 4   | RESISTANCE TO STAINING                  | ISO 10545-14           | TEST METHOD<br>AVAILABLE<br>DECLARED VALUE | CLASS 5                |
| Allinon   | SLIP RESISTANCE<br>INCLINED PLATFORM    | DIN 51130<br>DIN 51097 | TEST METHOD<br>AVAILABLE                   | R10 MATT               |

#### size, weight and packaging





| SIZE  | PIECES/BOX | MQ/BOX | KG/BOX | MQ/PALLET | KG/PALLET | BOX/PALLET |
|-------|------------|--------|--------|-----------|-----------|------------|
| 60x60 | 4          | 1.44   | 30     | 57.60     | 1220      | 40         |
| 30x60 | 8          | 1.44   | 30     | 57.60     | 1220      | 40         |
| 30x30 | 11         | 0.99   | 21     | 53.46     | 1150      | 54         |

60x60CM POLISHED TILES THICKNESS



60x60CM MATT TILES THICKNESS



RECTIFIED





81 Ubi Ave 4, #03-18/19, UB. One Singapore 408830 www.heritageceramics.com