

# STUDIO CERAMICS



# PETRA

Unveiling Nature's Beauty In Every Grain

# INTRODUCTION



## Studio Petra | Pietra

Drawing inspiration from the elegance of natural stone, the Studio Petra series, with its refined grains, seamlessly integrates into both classic and modern design concepts, imparting a luxurious feel reminiscent of posh marble.

The intrinsic beauty of natural stone is elevated through the meticulous detailing across 9 faces, introducing layers of sophistication to your spaces.

Studio Petra presents a diverse color palette including White, Ivory, Pearl, Grigio, and Nero. Tailor your projects with personalized touches using the 3 available finishes – R10 Matt, Polished, and Lappato.

Tailored for various ambiances and atmospheres, choose from 3 versatile formats – 60x60cm, 30x60cm, and 30x30cm.

Surpassing the allure of natural stone, Studio Petra boasts a remarkable low water absorption rate of less than 0.5%, making it an excellent choice for projects in high-moisture environments.


Infuse your space with Studio Petra and embrace the unparalleled elegance of natural stone, adorned with a modern twist.




## COLORS & SURFACES




White MATT R10  
LAPPATO  
POLISHED




Pearl MATT R10  
LAPPATO  
POLISHED



Ivory MATT\*\* R10  
LAPPATO  
POLISHED



Grigio MATT R10  
LAPPATO  
POLISHED



Nero MATT R10  
LAPPATO  
POLISHED



## FORMATS



60x60cm



30x60cm




30x30cm

## APPLICATIONS

- FLOOR
- WALL
- RESIDENTIAL
- COMMERCIAL
- OUTDOOR

## SHADE




SLIGHT  
APPEARANCE  
**V2**

\*\* NOT IN REGULAR PRODUCTION

# petra white

*Petra White transcends conventional design boundaries, offering a canvas for a minimalist aesthetic or backdrop for bolder design elements.*








*If you aspire to craft a space that exudes purity and luxury, the pristine hue of Petra White effortlessly brings this vision to life.*

# petra ivory

*Petra Ivory, softer than white yet equally luminous, lends its essence to spaces that are bright, expansive, and impeccably clean.*





**petra ivory** 6 faces





*Petra Ivory stands the test of time with its timeless elegance and remarkable versatility, seamlessly adapting to various styles of furnishings with effortless grace.*

# petra pearl

*Petra Pearl beckons you to transform your space into a sanctuary of elegance, where every detail reflects a commitment to luxury and style.*





**petra pearl** 6 faces



*If you desire a hue that is not overly dark yet illuminates your spaces with grace, Petra Pearl is the perfect choice.*

# **petra grigio**

*The resplendent marble veinal lines on Petra Grigio intricately unveil their beauty, casting a mesmerizing visual spectacle that captivates the observer.*





**petra grigio** 6 faces



*The subtle yet striking beauty of Petra Grigio lies in its grey palette intertwined with graceful white marble veining, creating an ambiance that is both contemporary and classic.*

# **petra nero**

*Infuse a sense of dramatic elegance into your space with  
Petra Nero.*



















*This deep, rich shade of Petra Nero embodies a bold and luxurious aesthetic, adding a touch of sophistication and mystery to your interior design.*

# technical characteristics

	TECHNICAL FEATURES	SPECIFICATION	VALUE REQUIRED	*OUR VALUES (SETSCO)
	LENGTH AND WIDTH	ISO 10545-2	± 0.6%	0.07%
	THICKNESS	ISO 10545-2	± 5.0%	- 0.16%
	SQUARENESS	ISO 10545-2	± 0.5%	0.04%
	STRAIGHTNESS OF THE EDGES	ISO 10545-2	± 0.5%	0.01%
	FLATNESS	ISO 10545-2	± 0.5%	0.13%
	WATER ABSORPTION	ISO 10545-3	≤ 0.5%	0.32%
	BREAKING STRENGTH MODULUS OF RUPTURE	ISO 10545-4	≥ 1300 N ≥ 35 N/mm <sup>2</sup>	1620.1 N 38.6 N/mm <sup>2</sup>
	CHEMICAL RESISTANCE	ISO 10545-13	TEST METHOD AVAILABLE DECLARED VALUE	GA/GLA
	RESISTANCE TO STAINING	ISO 10545-14	TEST METHOD AVAILABLE DECLARED VALUE	CLASS 5
	SLIP RESISTANCE INCLINED PLATFORM	DIN 51130 DIN 51097	TEST METHOD AVAILABLE	R10 MATT

# size, weight and packaging



SIZE	PIECES/BOX	MQ/BOX	KG/BOX	MQ/PALLET	KG/PALLET	BOX/PALLET
60x60	4	1.44	30	57.60	1220	40
30x60	8	1.44	30	57.60	1220	40
30x30	11	0.99	21	53.46	1150	54

60x60CM POLISHED TILES THICKNESS 

60x60CM MATT TILES THICKNESS 

RECTIFIED 

