

STUDIO CERAMICS



SHINE

A Captivating Collection Of Tiles, Artfully Inspired
By The Raw And Authentic Essence Of Soft Slate Stone.

INTRODUCTION



Studio Shine

Studio Shine series, a collection of glazed porcelain tiles, takes its inspiration from the smooth elegance of Soft Slate stone.

Drawing inspiration from the natural essence of slate, this collection introduces a sophisticated porcelain stoneware that rejects artificial solutions in favor of exhibiting the results of extensive creative research through coordinated indoor and outdoor surfaces.

The new surface of the Shine series reveals a dynamic graphic vitality, precise chromatic control, and carefully studied metamorphic features, all harmoniously balanced and, above all, authentic.

With a Structured R10 and Lappato surface, featuring 12 distinct faces, this series adds a layer of depth and character to its overall aesthetic.


Available in a wide spectrum of colors, including Bianco, Beige, Perla, Moon, Cenere, and Anthracite, the Shine series offers 3 formats – 60x60cm, 30x60cm, and 30x30cm, ensuring its adaptability for use on floors, walls, and as a feature element.

The tile also boasts a low water absorption rate of less than 0.5%, making it particularly suitable for spaces with elevated moisture levels.


Each module within the Shine series evokes unique sensations, showcasing the material's exquisite softness and revealing the mineral features and delicate characteristics reminiscent of split stone.




COLORS



Bianco



Beige




Perla



Moon



Cenere




Anthracite

SURFACES

STRUCTURED  R10

LAPPATO

FORMATS



60x60cm



30x60cm



30x30cm

APPLICATIONS

 FLOOR


 WALL

 RESIDENTIAL

 COMMERCIAL

 OUTDOOR

SHADE



MODERATE
APPEARANCE

V3

shine bianco

The exquisite white veinal lines on Shine Bianco gracefully meander through the spaces, not only creating an expansive visual effect but also bestowing a sense of refined elegance and smooth sophistication.







Shine Bianco beautifully captures and reflects light in an alluring manner, imparting a luxurious aesthetic to your space.

shine beige

Shine Beige, defined by its cream veinal lines, exudes a feeling of soft luxury, presenting itself as a subtle yet modern color choice.





shine beige 12 faces



Despite being a neutral color, its distinctive cream veinal lines ensure that it stands out, creating a captivating multi-dimensional effect.

shine perla

Shine Perla captivates with its enchanting light grey hue, reminiscent of the delicate luster of pearls.







Shine Perla, with its luminous essence, effortlessly elevates the luminosity of your space, crafting an atmosphere that feels not just bright but refreshingly airy and invigorating.

shine moon

Shine Moon unveils a truly distinctive shade of grey, infused with subtle warm brown tones, exuding a unique blend that radiates both warmth and a modern allure.








Indecisive between a warm, cozy ambiance and a modern aesthetic? Look no further — Shine Moon is your ideal choice, seamlessly bridging the gap between both styles.

shine cenere

Shine Cenere's muted elegance allows other design elements to shine while maintaining a cohesive aesthetic.








Shine Cenere exudes a quiet confidence, creating an atmosphere of serenity.

shine anthracite

Shine Anthracite introduces a touch of opulence to your spaces, establishing an elegant focal point that captures attention.















shine anthracite 12 faces



Shine Anthracite not only imparts a sleek and modern appearance but also proves to be ideal for high-traffic areas where durability and resilience are essential.

technical characteristics

TECHNICAL FEATURES	SPECIFICATION	VALUE REQUIRED	*OUR VALUES (SETSCO)
	LENGTH AND WIDTH	ISO 10545-2	± 0.6% 0.07%
	THICKNESS	ISO 10545-2	± 5.0% - 0.16%
	SQUARENESS	ISO 10545-2	± 0.5% 0.04%
	STRAIGHTNESS OF THE EDGES	ISO 10545-2	± 0.5% 0.01%
	FLATNESS	ISO 10545-2	± 0.5% 0.13%
	WATER ABSORPTION	ISO 10545-3	≤ 0.5% 0.32%
	BREAKING STRENGTH MODULUS OF RUPTURE	ISO 10545-4	≥ 1300 N ≥ 35 N/mm ² 1620.1 N 38.6 N/mm ²
	CHEMICAL RESISTANCE	ISO 10545-13	TEST METHOD AVAILABLE DECLARED VALUE GA/GLA
	RESISTANCE TO STAINING	ISO 10545-14	TEST METHOD AVAILABLE DECLARED VALUE CLASS 5
	SLIP RESISTANCE INCLINED PLATFORM	DIN 51130 DIN 51097	TEST METHOD AVAILABLE R10 MATT

size, weight and packaging



SIZE	PIECES/BOX	MQ/BOX	KG/BOX	MQ/PALLET	KG/PALLET	BOX/PALLET
60x60	4	1.44	30	57.60	1220	40
30x60	8	1.44	30	57.60	1220	40
30x30	11	0.99	21	53.46	1150	54

60x60CM MATT TILES THICKNESS



RECTIFIED



